

SBC/Ameritech

Attachment B-1

Complex Facility Modification Notification

*** ACTION REQUIRED ***

Date Sent: Monday, February 25, 2002

SBC/Ameritech is sending this form as formal notification that the existing facilities do not meet the technical specifications to provision the requested loop(s) or require other complex modifications.

REASON: ☒ Conditioning of Loop ☒ Complex Modification

Customer Name: **X O**

Fax Number: (614) 416-1029

Originator: DAN KOMORNICKI

Purchase Order Number: *****

End user: *****

Service Order Number: *****

Original Service Order Due Date: 2/27/02

NCI Code (if applicable): *****

Loop Length (if applicable): 17.5

db Loss (if applicable): 62.5

☒ Complex Modification ☒ No Charges: \$_____

☒ Conditioning - See Interconnection Agreement or applicable

Conditioning or other Complex Modifications Required:

REMOVE LOAD COILM ADD REPEATERS

Required for Conditioning or Complex Modification with charges

The new due date will be 8 business days from receipt of acceptance*. If you would like SBC/Ameritech to proceed with this order, please sign the acceptance line below and send the completed form back to Local Customer Service Center.

Accepted by: _____ Date: _____

Declined by: _____ Date: _____

If SBC/Ameritech Local Customer Service Center does not receive your response in ten business days, your order will be cancelled.

If no charges apply the new Due Date will be:

No further action required. If CLEC requires a change or cancellation, a supplemental or cancellation order must be issued.

Relief: 18 TQW-CLBS

*Documents received after 3pm CST, will be considered the next business day.

For Questions Call: 1 888 729-1458